

INS-980WG

▶ Main feature

- Far infrared heater deserves to be called "health heater" as it does not directly burn the oxygen in the room.
- It is little hazardous for fire as it is heated by radiation of halogen heat.
- Instant ignition consumes less electricity.
- The system with the double reflection mirrors maximizes heating efficiency.
- The front reflection mirror enlarges the reflex amplification of the rear mirror.
- The discharge amount of bio-ceramic far infrared rays is increased.



▶ Specification

- Functions : 940W/High, 470W/Low
Rotary control
Oscillation left to right 90°
Safety thermostat
Tip over switch
Adjustable up and down 30°
Anion emitting(optional)
- Weight : net wt. 2.8kgs / Gross wt. 4.8kgs
- Dimension : 350 × 350 × 720mm
- Packing dimension : 770 × 400 × 330mm
- Quantity/container : 609 ea/40' 294ea/20'
3pcs KD : 790 ea/40' 368 ea/20'

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleeneze in UK, Direct Danoz in Australia, etc.

ic TECH IC TECH INC.

TEL : 82-32-814-5075
FAX : 82-32-814-5079
E-mail : incpi@incpi.co.kr

12Lot-73B
NAMDONG Industrial 2Area)
643-11 Gojan-Dong,
Namdong-Ku, Incheon-City,
Korea 405-310

ICS-2002TG / ICS-2002TI

▶ Main feature

- Far infrared heater deserves to be called "health heater" as it does not directly burn the oxygen in the room.
- It is little hazardous for fire as it is heated by radiation of halogen heat.
- Instant ignition consumes less electricity.
- The system with the double reflection mirrors maximizes heating efficiency.
- The front reflection mirror enlarges the reflex amplification of the rear mirror.
- The discharge amount of bio-ceramic far infrared rays is increased.



▶ Specification

- Functions : 940W/High, 470W/Low
Push button and rotary control
Oscillation left to right 90°
Safety thermostat
Tip over switch
120 min. timer
Adjustable up and down 30°
Anion emitting(optional)
- Weight : net wt. 2.8kgs / Gross wt. 4.8kgs
- Dimension : 350×350×720mm
- Packing dimension : 770×400×330mm
- Quantity/container : 609 ea/40' 294ea/20'
- Color : Grey/Ivory

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleezeze in UK, Direct Danoz in Australia, etc.

○ ICS-1004TI

▶ Main feature

- Far infrared heater deserves to be called "health heater" as it does not directly burn the oxygen in the room.
- It is little hazardous for fire as it is heated by radiation of halogen heat.
- Instant ignition consumes less electricity.
- The system with the double reflection mirrors maximizes heating efficiency.
- The front reflection mirror enlarges the reflex amplification of the rear mirror.
- The discharge amount of bio-ceramic far infrared rays is increased.



▶ Specification

- Functions : 800W/High, 400W/Low
Rotary control
Oscillation left to right 90°
Safety thermostat
Tip over switch
120 min. timer
Adjustable up and down 30°
Anion emitting(optional)
- Weight : net wt. 2.8kgs / Gross wt. 4.5kgs
- Dimension : 410×210×535mm
- Packing dimension : 425×255×575mm
- Quantity/container : 992 ea/40' 448ea/20'

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleeneze in UK, Direct Danoz in Australia, etc.

○ ICS-2002RG

▶ Main feature

- Far infrared heater deserves to be called "health heater" as it does not directly burn the oxygen in the room.
- It is little hazardous for fire as it is heated by radiation of halogen heat.
- Instant ignition consumes less electricity.
- The system with the double reflection mirrors maximizes heating efficiency.
- The front reflection mirror enlarges the reflex amplification of the rear mirror.
- The discharge amount of bio-ceramic far infrared rays is increased.



▶ Specification

- Functions : 940W/High, 470W/Low
Remote control, push button and rotary control
Oscillation left to right 90°
Safety thermostat
Tip over switch
120 min. timer
Adjustable up and down 30°
Anion emitting(optional)
- Weight : net wt. 3.0kgs / Gross wt. 5.0kgs
- Dimension : 350 × 350 × 720mm
- Packing dimension : 770 × 400 × 330mm
- Quantity/container : 609 ea/40' 294ea/20'

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleeneze in UK, Direct Danoz in Australia, etc.

o ICS-3000WG

▶ Main feature

- Far infrared heater deserves to be called "health heater" as it does not directly burn the oxygen in the room.
- It is little hazardous for fire as it is heated by radiation of halogen heat.
- Instant ignition consumes less electricity.
- The system with the double reflection mirrors maximizes heating efficiency.
- The front reflection mirror enlarges the reflex amplification of the rear mirror.
- The discharge amount of bio-ceramic far infrared rays is increased.



▶ Specification

- Functions : 940W/High, 470W/Low
Rotary control
Oscillation left to right 90°
Safety thermostat
Tip over switch
Adjustable up and down 30°
Anion emitting(optional)
- Weight : net wt. 2.8kgs / Gross wt. 4.8kgs
- Dimension : 350 × 350 × 720mm
- Packing dimension : 770 × 400 × 330mm
- Quantity/container : 609 ea/40' 294ea/20'
3pcs KD : 790 ea/40' 368 ea/20'

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleeneze in UK, Direct Danoz in Australia, etc.

ICF-1003B / ICF-1003P

▶ Main feature

Cooler bird electric fan is new product of the new concept. That was discovered that any time when people feel most comfortable with in the natural environment especially, it is a gentle breeze blowing across the grassy plain or the rhythm of the rolling waves.



▶ Specification

- Functions : 2 hour. timer
3 Dimensional natural blowing system
3 Speed control and stop switch
Random breezes function
Easy angle adjustment for up-down
& left-right
- Weight : 3.7kgs
- Dimension : 370×210×580mm
- Quantity/container : 992 ea/40' 448ea/20'
- Color : Grey/Ivory

▶ Customers

LG electronics in S. Korea, D2 in Japan, Health Banco in Taiwan, SecuTech in Germany, Kleeneze in UK, Direct Danoz in Australia, etc.